

| Weight | 5/20/2013 | | | | | Pounds | | | | | | |
|------------|---------------------------------|--------|-------|--------|--------|--------|---------|---------|-----|----------|-----------------------------|--|
| w/out Pac. | | Weight | Width | Length | Height | Cu Ft | / Cu Ft | Class | DIM | Orig-DIM | Date Last Changed | |
| | TUBE | 19 | 6.0 | 6.0 | 71.0 | 1.48 | 12.85 | 85 | 10 | 9 | 9/8/2009 | |
| | Wood crate 5 Glass SH GL105 | | | | | | | | | | See "Shelves and Doors" tab | |
| 108/each | C12 standard size(2pcs pallet) | 305 | 55.0 | 28.0 | 41.0 | 36.54 | 8.35 | 100 | 253 | 52 | 9/8/2009 | |
| 108 | C12 standard size 48" w x 30" t | 184 | 55.0 | 17.0 | 41.0 | 22.18 | 8.29 | 100 | 153 | 31 | 2/9/2010 | |
| | C12-24wide x 40 tall | 83 | 31.0 | 15.0 | 45.0 | 12.11 | 6.85 | 125 | 84 | -1 | 5/19/2011 | |
| | C12-24wide x 24 tall x 7 deep | 83 | 31.0 | 15.0 | 32.0 | 8.61 | 9.64 | 100 | 60 | 23 | 11/5/2010 | |
| 57 | C12-36 | 128 | 43.0 | 17.0 | 33.0 | 13.96 | 9.17 | 100 | 96 | 32 | 9/8/2009 | |
| 57/each | C12-36 (2pcs on Pallet) | 189 | 43.0 | 28.0 | 35.0 | 24.39 | 7.75 | 125 | 169 | 20 | 5/25/2010 | |
| 124 | C12-40wide x 50 tall x 9 deep | 197 | 47.0 | 18.0 | 58.0 | 28.40 | 6.94 | 125 | 196 | 1 | 12/16/2011 | |
| | C12-60w x 24H x 9d | 195 | 67.0 | 17.0 | 34.0 | 22.41 | 8.70 | 100 | 155 | 40 | 5/23/2012 | |
| | C12-60 wide x30tall x9deep | 206 | 66.0 | 15.0 | 40.0 | 22.92 | 8.99 | 100 | 158 | 48 | 7/27/2010 | |
| 76 | C13 standard size | 113 | 43.0 | 17.0 | 42.0 | 17.77 | 6.36 | 125 | 123 | -10 | 9/8/2009 | |
| 76/each | C13 standard size (2pcs pallet) | 249 | 42.0 | 28.0 | 41.0 | 27.90 | 8.92 | 100 | 193 | 56 | 9/8/2009 | |
| 28 | C15 | 36 | 40.0 | 25.0 | 7.0 | 4.05 | 8.89 | 100 | 28 | 8 | 9/8/2009 | |
| 0 | C15/2 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | #DIV/0! | #DIV/0! | 0 | 0 | 1/13/2011 | |
| 0 | C15/3 | 61 | 40.0 | 8.0 | 45.0 | 8.33 | 7.32 | 125 | 58 | 3 | 5/29/2012 | |
| 0 | C15/4 | 0 | 0.0 | 0.0 | 0.0 | 0.00 | #DIV/0! | #DIV/0! | 0 | 0 | 1/13/2011 | |
| 68 | C16 | 113 | 43.0 | 17.0 | 33.0 | 13.96 | 8.09 | 100 | 96 | 17 | 9/8/2009 | |
| 68/each | C16 standard size (2pcs pallet) | 204 | 43.0 | 28.0 | 34.0 | 23.69 | 8.61 | 100 | 164 | 40 | 6/1/2010 | |
| 137 | C17 | 213 | 55.0 | 22.0 | 45.0 | 31.51 | 6.76 | 125 | 218 | -5 | 1/6/2010 | |
| 171 | C18 | 257 | 55.0 | 22.0 | 57.0 | 39.91 | 6.44 | 125 | 276 | -19 | 1/6/2010 | |
| 163 | C19 | 261 | 68.0 | 22.0 | 45.0 | 38.96 | 6.70 | 125 | 269 | -8 | 1/6/2010 | |
| 107 | C20 | | 55.0 | 17.0 | 45.0 | 24.35 | 0.00 | 0 | 168 | -168 | | |
| 4 | C21 | 8 | 12.0 | 12.0 | 11.0 | 0.92 | 8.73 | 100 | 6 | 2 | 5/20/2013 | |
| 6.5 | C22 | 11 | 18.0 | 14.0 | 11.0 | 1.60 | 6.86 | 125 | 11 | 0 | 5/20/2013 | |
| 9 | C23 | 15 | 22.0 | 16.0 | 11.0 | 2.24 | 6.69 | 125 | 15 | 0 | 5/20/2013 | |
| 42 | C24 | 100 | 42.0 | 32.0 | 15.0 | 11.67 | 8.57 | 100 | 81 | 19 | 5/1/2013 | |
| | C123 | 187 | 50.0 | 23.0 | 40.0 | 26.62 | 7.02 | 125 | 184 | 3 | 8/8/2011 | |
| 142 | CC100-36" | 213 | 26.0 | 43.0 | 51.0 | 33.00 | 6.46 | 125 | 228 | -15 | 9/8/2009 | |
| 162 | CC100-48" | 274 | 26.0 | 55.0 | 53.0 | 43.86 | 6.25 | 125 | 303 | -29 | 9/8/2009 | |
| 207 | CC100-60" | 308 | 26.0 | 67.0 | 51.0 | 51.41 | 5.99 | 150 | 355 | -47 | 9/8/2009 | |
| | CC100-72" | 345 | 26.0 | 76.0 | 50.0 | 57.18 | 6.03 | 125 | 395 | -50 | 9/8/2009 | |
| | CC200-2 | 114 | 30.0 | 26.0 | 53.0 | 23.92 | 4.77 | 150 | 165 | -51 | 1/7/2010 | |
| 192 | CC201-4 | 272 | 55.0 | 26.0 | 52.0 | 43.03 | 6.32 | 125 | 297 | -25 | 2/11/2011 | |
| | CC202-4 | 228 | 26.0 | 55.0 | 53.0 | 43.86 | 5.20 | 150 | 303 | -75 | 1/7/2010 | |
| | Crown for C13 | 12 | 40.5 | 12.0 | 5.5 | 1.55 | 7.76 | 125 | 11 | 1 | 4/7/2010 | |
| | DPS 12"x24"x 24" (2 pcs/pallet) | 135 | 26.0 | 29.0 | 32.0 | 13.96 | 9.67 | 100 | 97 | 38 | 11/3/2010 | |
| | DPS 12"x24"x 30" (2 pcs/pallet) | 159 | 36.0 | 29.0 | 38.0 | 22.96 | 6.93 | 125 | 159 | 0 | 11/3/2010 | |
| | DPS 12"x24"x 36" (2 pcs/pallet) | 174 | 36.0 | 29.0 | 44.0 | 26.58 | 6.55 | 125 | 184 | -10 | 11/3/2010 | |
| | DPS 12"x24"x 42" (2 pcs/pallet) | 140 | 36.0 | 29.0 | 50.0 | 30.21 | 4.63 | 150 | 209 | -69 | 11/3/2010 | |
| | DPS 16"x16"x36" (2pcs/pallet) | 170 | 44.0 | 22.0 | 45.0 | 25.21 | 6.74 | 125 | 174 | -4 | 9/8/2009 | |
| | DPS 16"x24"x36 (2pcs/pallet) | 208 | 44.0 | 29.0 | 45.0 | 33.23 | 6.26 | 125 | 230 | -22 | 9/8/2009 | |
| | DVD Case Luxuriator | 170 | 20.0 | 17.0 | 80.0 | 15.74 | 10.80 | 92.5 | 109 | 61 | 9/8/2009 | |
| | GL1/GL2 FRAME (BOX) | 19 | 6.0 | 6.0 | 71.0 | 1.48 | 12.85 | 85 | 10 | 9 | 9/8/2009 | |
| 148 | GL1-40" | 195 | 43.0 | 22.0 | 29.0 | 15.88 | 12.28 | 85 | 110 | 85 | 3/5/2010 | |
| | GL1-40" (2pcs /one Pallet) | 316 | 43.0 | 43.0 | 29.0 | 31.03 | 10.18 | 92.5 | 214 | 102 | 6/29/2011 | |
| | GL1-40" (3pc / on one pallet) | 495 | 66.0 | 43.0 | 29.0 | 47.63 | 10.39 | 92.5 | 329 | 166 | 1/28/2011 | |
| | GL1-40 (4pcs / one pallet) | 607 | 43.0 | 43.0 | 52.0 | 55.64 | 10.91 | 92.5 | 385 | 222 | 12/11/2009 | |
| 169 | GL1 48" | 224 | 52.0 | 23.0 | 29.0 | 20.07 | 11.16 | 92.5 | 139 | 85 | 3/5/2010 | |
| | GL1 48" (2pcs /one pallet) | 408 | 52.0 | 43.0 | 29.0 | 37.53 | 10.87 | 92.5 | 259 | 149 | 6/14/2010 | |
| 118 | GL2 | 179 | 30.0 | 30.0 | 30.0 | 15.63 | 11.46 | 92.5 | 108 | 71 | 9/8/2009 | |
| | GL2 (2pcs / one pallet) | 340 | 57.0 | 30.0 | 30.0 | 29.69 | 11.45 | 92.5 | 205 | 135 | 9/8/2009 | |
| 118 | GLB2 Starlight | 180 | 29.0 | 29.0 | 35.0 | 17.03 | 10.57 | 92.5 | 118 | 62 | 9/8/2009 | |
| 157 | GL3 | 237 | 31.0 | 29.0 | 85.0 | 44.22 | 5.36 | 150 | 306 | -69 | 9/8/2009 | |
| 223 | GL4 | 316 | 40.0 | 28.0 | 85.0 | 55.09 | 5.74 | 150 | 381 | -65 | 9/8/2009 | |
| 167 | GL5-40" | 387 | 47.0 | 27.0 | 85.0 | 62.42 | 6.20 | 125 | 431 | -44 | 6/15/2010 | |
| 332 | GL5-48" | 451 | 55.0 | 29.0 | 85.0 | 78.46 | 5.75 | 150 | 542 | -91 | 1/31/2012 | |
| | GL5TG | 320 | 47.0 | 26.0 | 83.0 | 58.70 | 5.45 | 150 | 406 | -86 | 1/31/2012 | |
| | GL5-4TG | 444 | 55.0 | 29.0 | 83.0 | 76.61 | 5.80 | 150 | 530 | -86 | 1/31/2012 | |
| | GL6 | 60 | 20.0 | 22.0 | 41.0 | 10.44 | 5.75 | 150 | 72 | -12 | 9/8/2009 | |
| 55 | GL6R on pallet | 95 | 25.0 | 23.0 | 43.0 | 14.31 | 6.64 | 125 | 99 | -4 | 9/8/2009 | |
| | GL6 + Ped | 152 | 43.0 | 24.0 | 48.0 | 28.67 | 5.30 | 150 | 198 | -46 | 9/8/2009 | |
| 38 | GL07 | 45 | 25.0 | 13.0 | 33.0 | 6.21 | 7.25 | 125 | 43 | 2 | 9/8/2009 | |
| | GL07(1pc/ on Pallet | 73 | 29.0 | 17.0 | 39.0 | 11.13 | 6.56 | 125 | 77 | -4 | 5/24/2010 | |
| | GL07(2pc/ on Pallet | 119 | 27.0 | 26.0 | 39.0 | 15.84 | 7.51 | 125 | 110 | 9 | 12/4/2009 | |
| | GL07(3pc/ on Pallet) | 173 | 43.0 | 27.0 | 39.0 | 26.20 | 6.60 | 125 | 181 | -8 | 7/26/2012 | |
| 40 | GL07 Annaleece | 48 | 25.0 | 13.0 | 33.0 | 6.21 | 7.73 | 125 | 43 | 5 | 9/8/2009 | |
| 63 | GL8 | 106 | 25.0 | 21.0 | 45.0 | 13.67 | 7.75 | 125 | 95 | 12 | 9/8/2009 | |
| | GL8(2pc/ on Pallet | 185 | 43.0 | 23.0 | 45.0 | 25.76 | 7.18 | 125 | 178 | 7 | 5/7/2010 | |
| | GL8 + PED | 181 | 41.0 | 23.0 | 44.0 | 24.01 | 7.54 | 125 | 166 | 15 | 9/8/2009 | |
| | GL09 | 45 | 19.0 | 20.0 | 33.0 | 7.26 | 6.20 | 125 | 50 | -5 | 9/8/2009 | |
| | GL09 + PED | 140 | 35.0 | 20.0 | 44.0 | 17.82 | 7.85 | 125 | 123 | 17 | 9/8/2009 | |
| | GL09 on Pallet | 64 | 21.0 | 22.0 | 40.0 | 10.69 | 5.98 | 150 | 74 | -10 | 1/22/2010 | |
| | GL09 (2pc) on Pallet | 135 | 40.0 | 23.0 | 40.0 | 21.30 | 6.34 | 125 | 147 | -12 | 10/11/2011 | |
| 182 | GL10 | 257 | 31.0 | 26.0 | 85.0 | 39.65 | 6.48 | 125 | 274 | -17 | 9/8/2009 | |
| 182 | GL10TG | 249 | 31.0 | 26.0 | 83.0 | 38.71 | 6.43 | 125 | 268 | -19 | 9/8/2009 | |
| 149 | GL10TGNM w/out door | 223 | 31.0 | 26.0 | 83.0 | 38.71 | 5.76 | 150 | 268 | -45 | 9/8/2009 | |
| | GL10GW | 295 | 31.0 | 26.0 | 85.0 | 39.65 | 7.44 | 125 | 274 | 21 | 9/8/2009 | |
| 135 | GL100 | 205 | 27.0 | 26.0 | 81.0 | 32.91 | 6.23 | 125 | 227 | -22 | 9/8/2009 | |
| | GL100TG | 185 | 27.0 | 26.0 | 77.0 | 31.28 | 5.91 | 150 | 216 | -31 | 5/23/2012 | |
| | GL100/in reusable wood crate | 355 | 31.0 | 27.0 | 82.0 | 39.72 | 8.94 | 100 | 275 | 80 | 10/8/2009 | |
| | GL100 Spaceform | 222 | 27.0 | 26.0 | 91.0 | 36.97 | 6.01 | 125 | 256 | -34 | 9/9/2009 | |
| | GLDV100TG | 204 | 27.0 | 26.0 | 89.0 | 36.16 | 5.64 | 150 | 250 | -46 | 5/17/2010 | |
| 194 | GL100-2 / GL100WB / GL100DP | 270 | 31.0 | 29.0 | 83.0 | 43.18 | 6.25 | 125 | 298 | -28 | 9/8/2009 | |
| 133 | GL101 | 208 | 27.0 | 26.0 | 85.0 | 34.53 | 6.02 | 125 | 239 | -31 | 9/8/2009 | |
| | GL101/in reusable wood crate | 385 | 32.0 | 28.0 | 88.0 | 45.63 | 8.44 | 100 | 315 | 70 | 3/19/2010 | |
| | GL101TG | 199 | 27.0 | 26.0 | 84.0 | 34.13 | 5.83 | 150 | 236 | -37 | 3/3/2011 | |
| 112 | GL102 | 189 | 31.0 | 17.0 | 85.0 | 25.92 | 7.29 | 125 | 179 | 10 | 9/8/2009 | |
| 158 | GL103 | 233 | 31.0 | 29.0 | 81.0 | 42.14 | 5.53 | 150 | 291 | -58 | 9/8/2009 | |
| 208 | GL104 | 296 | 40.0 | 28.0 | 81.0 | 52.50 | 5.64 | 150 | 363 | -67 | 9/8/2009 | |
| 242 | GL105-40" | 345 | 47.0 | 27.0 | 81.0 | 59.48 | 5.80 | 150 | 411 | -66 | 6/15/2010 | |
| | GL105-40" (D/HD strg 20"H) | 400 | 47.0 | 27.0 | 88.0 | 64.63 | 6.19 | 125 | 447 | -47 | 11/9/2011 | |
| 274 | GL105-40TG | 351 | 47.0 | 26.0 | 77.0 | 54.45 | 6.45 | 125 | 376 | -25 | | |

| | | | | | | | | | | | | |
|-----|--------------------------------|-----|------|------|------|--------|---------|---------|-----|------|--|------------|
| | GL106-6' | 330 | 75.0 | 26.0 | 43.0 | 48.52 | 6.80 | 125 | 335 | -5 | | 9/8/2009 |
| | GL106/2-3' | 234 | 42.0 | 26.0 | 51.0 | 32.23 | 7.26 | 125 | 223 | 11 | | 9/8/2009 |
| | GL106/2-4' | 290 | 54.0 | 26.0 | 51.0 | 41.44 | 7.00 | 125 | 286 | 4 | | 2/17/2010 |
| | GL106/2-5 | 346 | 66.0 | 26.0 | 51.0 | 50.65 | 6.83 | 125 | 350 | -4 | | 9/8/2009 |
| | GL106/2-6' | 403 | 77.0 | 26.0 | 51.0 | 59.09 | 6.82 | 125 | 408 | -5 | | 11/18/2010 |
| | GL107 | 216 | 50.0 | 27.0 | 53.0 | 41.41 | 5.22 | 150 | 286 | -70 | | 9/8/2009 |
| | GL108-2' | 165 | 36.0 | 26.0 | 51.0 | 27.63 | 5.97 | 150 | 191 | -26 | | 8/1/2011 |
| 158 | GL108-110-118-3' | 194 | 43.0 | 26.0 | 52.0 | 33.64 | 5.77 | 150 | 233 | -39 | | 8/1/2011 |
| 200 | GL108-110-113-118-4' | 300 | 56.0 | 26.0 | 52.0 | 43.81 | 6.85 | 125 | 303 | -3 | | 9/8/2009 |
| 235 | GL108-110-113-118-5' | 356 | 67.0 | 26.0 | 52.0 | 52.42 | 6.79 | 125 | 362 | -6 | | 10/7/2009 |
| 301 | GL108-110-113-118-6' | 392 | 79.0 | 26.0 | 52.0 | 61.81 | 6.34 | 125 | 427 | -35 | | 9/8/2009 |
| | GL108-4EP | 370 | 55.0 | 29.0 | 48.0 | 44.31 | 8.35 | 100 | 306 | 64 | | 9/8/2009 |
| | GL108-4EP in wood crate | 490 | 58.0 | 33.0 | 51.0 | 56.49 | 8.67 | 100 | 390 | 100 | | 7/26/2012 |
| | GL108-5JM | 364 | 67.0 | 26.0 | 52.0 | 52.42 | 6.94 | 125 | 362 | 2 | | 9/8/2009 |
| | GL108T 3' | 101 | 43.0 | 26.0 | 24.0 | 15.53 | 6.50 | 125 | 107 | -6 | | 12/28/2010 |
| | GL108T 4' | 114 | 53.0 | 26.0 | 24.0 | 19.14 | 5.96 | 150 | 132 | -18 | | 12/28/2010 |
| | GL108T 5' | 163 | 67.0 | 26.0 | 24.0 | 24.19 | 6.74 | 125 | 167 | -4 | | 12/28/2010 |
| | GL108T 6' | 203 | 79.0 | 26.0 | 24.0 | 28.53 | 7.12 | 125 | 197 | 6 | | 12/28/2010 |
| 100 | GL109 3' | 225 | 43.0 | 26.0 | 52.0 | 33.64 | 6.69 | 125 | 233 | -8 | | 9/8/2009 |
| 133 | GL109-4 | 277 | 55.0 | 26.0 | 52.0 | 43.03 | 6.44 | 125 | 297 | | | 9/11/2012 |
| | GL109-4 DCI | 250 | 55.0 | 25.0 | 51.0 | 40.58 | 6.16 | 125 | 281 | -31 | | 9/8/2009 |
| 167 | GL109-5 | 325 | 66.0 | 26.0 | 52.0 | 51.64 | 6.29 | 125 | 357 | | | 9/17/2012 |
| 200 | GL109-6 | 330 | 78.0 | 26.0 | 52.0 | 61.03 | 5.41 | 150 | 422 | -92 | | 9/8/2009 |
| | GL111-3 | 215 | 43.0 | 28.0 | 51.0 | 35.53 | 6.05 | 125 | 246 | | | 1/11/2011 |
| | GL111-4 | 287 | 55.0 | 26.0 | 52.0 | 43.03 | 6.67 | 125 | 297 | | | 2/23/2012 |
| | GL111-5 | 350 | 67.0 | 28.0 | 51.0 | 55.37 | 6.32 | 125 | 383 | | | 5/12/2011 |
| | GL111-6 | 430 | 79.0 | 28.0 | 51.0 | 65.28 | 6.59 | 125 | 451 | | | 1/11/2011 |
| 42 | GL112T GL112T-TG | 83 | 27.0 | 26.0 | 29.0 | 11.78 | 7.05 | 125 | 81 | 2 | | 4/1/2011 |
| 138 | GL112-20" | 186 | 27.0 | 26.0 | 75.0 | 30.47 | 6.10 | 125 | 211 | -25 | | 9/8/2009 |
| 100 | GL112-20TG | 185 | 27.0 | 26.0 | 73.0 | 29.66 | 6.24 | 125 | 205 | | | 3/2/2011 |
| 222 | GL112-40" | 320 | 48.0 | 28.0 | 74.0 | 57.56 | 5.56 | 150 | 398 | -78 | | 9/8/2009 |
| 155 | GL113-3 | 228 | 43.0 | 26.0 | 51.0 | 33.00 | 6.91 | 125 | 228 | 0 | | 9/8/2009 |
| | GLC113-6 | 387 | 72.0 | 26.0 | 52.0 | 56.33 | 6.87 | 125 | 389 | -2 | | 10/25/2012 |
| | GL113-C | 406 | 26.0 | 74.0 | 50.0 | 55.67 | 7.29 | 125 | 385 | 21 | | 9/8/2009 |
| | GL113-2C | 398 | 91.0 | 26.0 | 51.0 | 69.83 | 5.70 | 150 | 483 | -85 | | 9/8/2009 |
| 119 | GL114 | 182 | 31.0 | 29.0 | 57.0 | 29.65 | 6.14 | 125 | 205 | -23 | | 9/8/2009 |
| | GL114T | 108 | 31.0 | 29.0 | 28.0 | 14.57 | 7.41 | 125 | 101 | 7 | | 3/29/2011 |
| 134 | GL115 | 211 | 41.0 | 36.0 | 58.0 | 49.54 | 4.26 | 150 | 342 | -131 | | 9/8/2009 |
| 85 | GL115T | 110 | 41.0 | 36.0 | 27.0 | 23.06 | 4.77 | 150 | 159 | -49 | | 12/28/2010 |
| 55 | GL116 (Tapered Legs) | 140 | 24.0 | 42.0 | 45.0 | 26.25 | 5.33 | 150 | 181 | -41 | | 1/7/2010 |
| 55 | GL116-3' | 101 | 43.0 | 26.0 | 21.0 | 13.59 | 7.43 | 125 | 94 | 7 | | 11/4/2009 |
| 63 | GL116-4 (Tapered legs) | 169 | 56.0 | 26.0 | 45.0 | 37.92 | 4.46 | 150 | 262 | -93 | | 1/7/2010 |
| | GL116-4 (Tapered legs)reusable | 285 | 58.0 | 30.0 | 47.0 | 47.33 | 6.02 | 125 | 327 | -42 | | 5/16/2012 |
| 63 | GL116-4' | 114 | 53.0 | 26.0 | 22.0 | 17.54 | 6.50 | 125 | 121 | -7 | | 9/8/2009 |
| | GL116-5 (Tapered Legs) | 214 | 67.0 | 26.0 | 45.0 | 45.36 | 4.72 | 150 | 314 | -100 | | 2/16/2010 |
| | GL116-5' | 163 | 67.0 | 26.0 | 22.0 | 22.18 | 7.35 | 125 | 153 | 10 | | 4/30/2010 |
| | GL116-6 (Tapered.Legs) | 243 | 78.0 | 26.0 | 45.0 | 52.81 | 4.60 | 150 | 365 | -122 | | 1/7/2010 |
| | GL116-6' | 203 | 79.0 | 26.0 | 24.0 | 28.53 | 7.12 | 125 | 197 | 6 | | 9/8/2009 |
| | GL116-6 Lori | 182 | 78.0 | 24.0 | 27.0 | 29.25 | 6.22 | 125 | 202 | -20 | | 9/8/2009 |
| | GL116 LEGS (BOX) | 17 | 29.0 | 13.0 | 9.0 | 1.96 | 8.66 | 100 | 14 | 3 | | 9/8/2009 |
| 295 | GL117 | 392 | 55.0 | 28.0 | 90.0 | 80.21 | 4.89 | 150 | 554 | -162 | | 11/26/2012 |
| | GL118 36" | 216 | 43.0 | 26.0 | 52.0 | 33.64 | 6.42 | 125 | 233 | -17 | | 9/8/2009 |
| | GL118-4 | 259 | 56.0 | 26.0 | 52.0 | 43.81 | 5.91 | 150 | 303 | -44 | | 5/5/2010 |
| | GL118-5 | 302 | 67.0 | 26.0 | 52.0 | 52.42 | 5.76 | 150 | 362 | -60 | | 9/8/2009 |
| | GL118-6 | 355 | 78.0 | 26.0 | 52.0 | 61.03 | 5.82 | 150 | 422 | -67 | | 1/18/2011 |
| | GL119 | 286 | 46.0 | 21.0 | 81.0 | 45.28 | 6.32 | 125 | 313 | -27 | | 8/8/2012 |
| 152 | GL121 | 224 | 29.0 | 28.0 | 83.0 | 39.00 | 5.74 | 150 | 270 | -46 | | 9/8/2009 |
| | Door GL121 in wood crate | 57 | 69.0 | 19.0 | 7.0 | 5.31 | 10.73 | 92.5 | 37 | 20 | | 10/29/2012 |
| 255 | GL122 | 352 | 44.0 | 29.0 | 83.0 | 61.29 | 5.74 | 150 | 424 | -72 | | 9/8/2009 |
| | GL122/in reusable wood crate | 608 | 47.0 | 35.0 | 88.0 | 83.77 | 7.26 | 125 | 579 | 29 | | 4/14/2010 |
| 226 | GL123 | 347 | 51.0 | 23.0 | 83.0 | 56.34 | 6.16 | 125 | 389 | -42 | | 12/18/2012 |
| | GL127 | 203 | 49.0 | 29.0 | 51.0 | 41.94 | 4.84 | 150 | 290 | -87 | | 9/8/2009 |
| | GL130 | 259 | 56.0 | 26.0 | 52.0 | 43.81 | 5.91 | 150 | 303 | -44 | | 9/8/2009 |
| | GL131 | 290 | 67.0 | 26.0 | 57.0 | 57.46 | 5.05 | 150 | 397 | -107 | | 7/27/2012 |
| | GL132 | 150 | 27.0 | 26.0 | 68.0 | 27.63 | 5.43 | 150 | 191 | -41 | | 9/8/2009 |
| | GL132 in reusable crate | 213 | 30.0 | 29.0 | 62.0 | 31.22 | 6.82 | 125 | 216 | -3 | | 5/16/2012 |
| | GL133 | 178 | 27.0 | 26.0 | 66.0 | 26.81 | 6.64 | 125 | 185 | -7 | | 3/5/2010 |
| | GL133T | 93 | 27.0 | 26.0 | 23.0 | 9.34 | 9.95 | 100 | 65 | 28 | | 9/13/2011 |
| | GL134 | 166 | 31.0 | 29.0 | 66.0 | 34.34 | 4.83 | 150 | 237 | -71 | | 1/26/2010 |
| | GL134T | 123 | 31.0 | 29.0 | 29.0 | 15.09 | 8.15 | 100 | 104 | 19 | | 4/25/2011 |
| 97 | GL135 | 175 | 37.0 | 26.0 | 65.0 | 36.19 | 4.84 | 150 | 250 | -75 | | 9/8/2009 |
| 97 | GL135T | 0 | 0.0 | 0.0 | 0.0 | 0.00 | #DIV/0! | #DIV/0! | 0 | 0 | | 9/13/2011 |
| | GL136 | 238 | 44.0 | 27.0 | 52.0 | 35.75 | 6.66 | 125 | 247 | -9 | | 3/5/2010 |
| | GL136T | 0 | 0.0 | 0.0 | 0.0 | 0.00 | #DIV/0! | #DIV/0! | 0 | 0 | | 9/13/2011 |
| 80 | GL137 | 114 | 22.0 | 19.0 | 51.0 | 12.34 | 9.24 | 100 | 85 | 29 | | 9/8/2009 |
| 95 | GL138-20 | 151 | 27.0 | 26.0 | 72.0 | 29.25 | 5.16 | 150 | 202 | -51 | | 1/7/2013 |
| 127 | GL138-40 | 215 | 47.0 | 26.0 | 72.0 | 50.92 | 4.22 | 150 | 352 | -137 | | 1/7/2013 |
| 107 | GL139 | 186 | 55.0 | 26.0 | 52.0 | 43.03 | 4.32 | 150 | 297 | -111 | | 1/7/2013 |
| 122 | GL140 | 177 | 24.0 | 23.0 | 73.0 | 23.32 | 7.59 | 125 | 161 | 16 | | 2/6/2013 |
| 134 | GL141 | 239 | 58.0 | 26.0 | 71.0 | 61.96 | 3.86 | 0 | 428 | -189 | | 9/19/2013 |
| | GL200 | 51 | 24.0 | 15.0 | 19.0 | 3.96 | 12.88 | 85 | 27 | 24 | | 8/25/2011 |
| 35 | GL201 | 73 | 31.0 | 20.0 | 19.0 | 6.82 | 10.71 | 92.5 | 47 | 26 | | 12/10/2010 |
| | GL202 | 86 | 31.0 | 24.0 | 19.0 | 8.18 | 10.51 | 92.5 | 57 | 29 | | 12/20/2012 |
| 286 | GL600 | 508 | 82.0 | 24.0 | 91.0 | 103.64 | 4.90 | 150 | 716 | -208 | | 9/8/2009 |
| 137 | GL600-40 | 315 | 49.0 | 24.0 | 91.0 | 61.93 | 5.09 | 150 | 428 | -113 | | 9/8/2009 |
| 193 | GL601 | 318 | 36.0 | 34.0 | 91.0 | 64.46 | 4.93 | 150 | 446 | -128 | | 9/8/2009 |
| 135 | GL602 | 225 | 59.0 | 17.0 | 51.0 | 29.60 | 7.60 | 125 | 205 | 20 | | 6/1/2010 |
| 232 | GL603 | 363 | 58.0 | 24.0 | 84.0 | 67.67 | 5.36 | 150 | 468 | -105 | | 6/3/2011 |
| 148 | GL604 | 270 | 56.0 | 22.0 | 84.0 | 59.89 | 4.51 | 150 | 414 | -144 | | 12/22/2009 |
| 208 | GL605 | 318 | 36.0 | 35.0 | 84.0 | 61.25 | 5.19 | 150 | 423 | -105 | | 2/16/2010 |
| | GL606 | 365 | 58.0 | 24.0 | 84.0 | 67.67 | 5.39 | 150 | 468 | -103 | | 9/8/2010 |
| 106 | GL607 | 172 | 29.0 | 27.0 | 80.0 | 36.25 | 4.74 | 150 | 251 | -79 | | 2/11/2011 |
| 434 | GL608 | 580 | 75.0 | 26.0 | 87.0 | 98.18 | 5.91 | 150 | 679 | -99 | | 7/5/2011 |
| 506 | GL609 | 640 | 81.0 | 26.0 | 88.0 | 107.25 | 5.97 | 150 | 741 | -101 | | 8/9/2012 |
| 184 | GL610 | 258 | 31.0 | 26.0 | 90.0 | 41.98 | 6.15 | 125 | 290 | -32 | | 5/23/2011 |
| 196 | GL611 | 272 | 31.0 | 29.0 | 90.0 | 46.82 | 5.81 | 150 | 324 | -52 | | 6/1/2010 |
| 132 | GL612 | 200 | 29.0 | 27.0 | 76.0 | 34.44 | 5.81 | 150 | 238 | -38 | | 9/8/2009 |
| 285 | GL613 | 423 | 55.0 | 28.0 | 81.0 | 72.19 | 5.86 | 150 | 499 | -76 | | 1/24/2011 |
| | GL613-5 | 518 | 69.0 | 28.0 | 81.0 | 90.56 | 5.72 | 150 | 626 | -108 | | 1/24/2011 |
| 130 | GL614 | 187 | 27.0 | 26.0 | 84.0 | 34.13 | 5.48 | 150 | 236 | -49 | | 5/11/2011 |
| 197 | GL614-2 | 258 | 31.0 | 29.0 | 84.0 | 43.70 | 5.90 | 150 | 302 | -44 | | 1/3/2011 |
| 397 | GL615 | 417 | 38.0 | 37.0 | 84.0 | 68.35 | 6.10 | 125 | 472 | -55 | | 9/20/2010 |
| 331 | GL616 | 553 | 68.0 | 26.0 | 88.0 | 90.04 | 6.14 | 125 | 622 | -69 | | 10/10/2011 |

